VOL. 565, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY APRIL 19, 1991

(Biomedical Applications, Vol. 103, Nos. 1+2)

CONTENTS

(Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology)

Review. Determination of L-3,4-dihydroxyphenylalanine in biological fluids and tissues
by N. Dizdar, A. Henriksson and B. Kågedal (Linköping, Sweden) (Received December 3rd, 1990) 1

Identification by gas chromatography and mass spectrometry of lipids from the rat Harderian gland
by D. J. Harvey (Oxford, U.K.) (Received October 22nd, 1990) 27

Simultaneous determination of testosterone and androstadienone (sex attractant) in human plasma by gas chromatography–mass spectrometry with high-resolution selected-ion monitoring
by S. Fukushima, A. Akane, K. Matsubara, H. Shiono, H. Morishita and F. Nakada (Izumo, Japan) (Received November 12th, 1990) 35

Characterization of prednisone, prednisolone and their metabolites by gas chromatography–mass spectrometry
by G. M. Rodchenkov, A. N. Vedenin, V. P. Uralets and V. A. Semenov (Moscow, U.S.S.R.) (Received October 31st, 1990) 45

Simultaneous assay of the activities of two key enzymes in cholesterol metabolism by gas chromatography–mass spectrometry
by A. Honda, J. Shoda, N. Tanaka, Y. Matsuzaki, T. Osuga and N. Shigematsu (Ibaraki, Japan), M. Tohma (Hokkaido, Japan) and H. Miyazaki (Tokyo, Japan) (Received October 22nd, 1990) 53

Determination of 4-hydroxyandrostenedione in plasma and urine by extractive alkylation and electron-capture gas chromatography
by P. H. Degen and W. Schneider (Basel, Switzerland) (Received November 8th, 1990) . . 67

Determination of 4-hydroxyandrost-4-ene-3,17-dione metabolism in breast cancer patients using high-performance liquid chromatography–mass spectrometry
by G. K. Poon, M. Jarman and M. G. Rowlands (Sutton, U.K.), M. Dowsett (London, U.K.) and J. Firth (Hemel Hempstead, U.K.) (Received November 19th, 1990) 75

Assay methodology for prednisolone, prednisolone acetate and prednisolone sodium phosphate in rabbit aqueous humor and ocular physiological solutions
by D. G. Musson, A. M. Bidgood and O. Olejnik (Claremont, CA, U.S.A.) (Received November 30th, 1990) 89

Separation of cholesterol esters by silver ion chromatography using high-performance liquid chromatography or solid-phase extraction columns packed with a bonded sulphonic acid phase
by E. B. Hoving and F. A. J. Muskiet (Groningen, The Netherlands) and W. W. Christie (Ayr, U.K.) (Received November 7th, 1990) 103

(Continued overleaf)

High-performance liquid chromatographic separation of bile acid pyrenacyl esters with cyclodextrin-containing mobile phase
by K. Shimada, Y. Komine and K. Mitamura (Kanazawa, Japan) (Received October 22nd, 1990) 111

Fatty acid composition of glycerophospholipids in seven tissues of cod (*Gadus morhua*), determined by combined high-performance liquid chromatography and gas chromatography
by Ø. Lie and G. Lambertsen (Bergen, Norway) (Received November 26th, 1990) 119

Improved high-performance liquid chromatographic method for the routine determination of unconjugated 3-methoxy-4-hydroxyphenylethyleneglycol in human plasma using solid-phase extraction and electrochemical detection
by P. Ojala-Karlsson and M. Scheinin (Turku, Finland) (Received November 13th, 1990) . 131

Determination of human urinary hyaluronic acid, chondroitin sulphate and dermatan sulphate as their unsaturated disaccharides by high-performance liquid chromatography
by H. Toyoda, K. Motoki, M. Tanikawa, K. Shinomiya, H. Akiyama and T. Imanari (Chiba, Japan) (Received November 5th, 1990) 141

Measurement of reduced and oxidized glutathione in cultures of adult rat hepatocytes
by K. Mertens, V. Rogiers, W. Sonck and A. Vercruysse (Brussels, Belgium) (Received November 29th, 1990) 149

Solid-phase extraction of plasma vasopressin: evaluation, validation and application
by B. J. M. van de Heijning, I. Koekkoek-van den Herik, T. Iványi and T. B. van Wimersma Greidanus (Utrecht, The Netherlands) (Received October 29th, 1990) 159

Determination of proteins in urine by high-performance liquid chromatography with spectrophotometric detection using a pyrogallol red–molybdate complex
by F. Mashige and A. Ohkubo (Tokyo, Japan) (Received November 8th, 1990) 173

Immobilized urokinase column as part of a specific detection system for plasminogen species separated by high-performance affinity chromatography
by I. Abe (Kanagawa, Japan), N. Ito and K. Noguchi (Kawasaki, Japan), M. Kazawa (Tokyo, Japan) and K.-I. Kasai (Kanagawa, Japan) (Received November 5th, 1990) 183

Micellar electrokinetic capillary chromatographic separation and laser-induced fluorescence detection of 2′-deoxynucleoside 5′-monophosphates of normal and modified bases
by T. Lee and E. S. Yeung (Ames, IA, U.S.A.) and M. Sharma (Buffalo, NY, U.S.A.) (Received November 15th, 1990) 197

Automated screening procedure using gas chromatography–mass spectrometry for identification of drugs after their extraction from biological samples
by G. P. Neill, N. W. Davies and S. McLean (Hobart, Australia) (Received October 29th, 1990) 207

Determination of ritodrine in biological fluids of the pregnant sheep by fused-silica capillary gas chromatography using electron-capture detection
by M. R. Wright, J. E. Axelson, F. S. Abbott, K. W. Riggs, M. P. Van der Weyde, S. M. Taylor, G. H. McMorland and D. W. Rurak (Vancouver, Canada) (Received November 3rd, 1990) 225

Determination of felodipine and its metabolites in plasma using capillary gas chromatography with electron-capture detection and their identification by gas chromatography–mass spectrometry
by R. Nishioka, I. Umeda and N. Ōi (Osaka, Japan), S. Tabata (Kawagoe, Japan) and K. Uno (Takarazuka, Japan) (Received November 5th, 1990) 237

Determination of pethidine and its major metabolites in human urine by gas chromatography
by K. Chan, O. W. Lau and Y. C. Wong (Shatin, Hong Kong) (Received November 26th, 1990) 247

Capillary gas chromatographic–electron-capture assay for the aldose reductase inhibitor imirestat in lens and plasma
by B. A. McCue, Y. H. Park, R. K. Brazzell and J. J. Boltralik (Fort Worth, TX, U.S.A.) (Received November 27th, 1990) 255

Bioanalysis of erythromycin 2′-ethylsuccinate in plasma using phase-system switching continuous-flow fast atom bombardment liquid chromatography–mass spectrometry
by P. S. Kokkonen, W. M. A. Niessen, U. R. Tjaden and J. van der Greef (Leiden, The Netherlands) (Received November 19th, 1990) 265

Direct analysis of the dopamine agonist (−)-2-(N-propyl-N-2-thienylethylamino)-5-hydroxytetralin hydrochloride in plasma by high-performance liquid chromatography using two-dimensional column switching
by S. C. Ruckmick and B. D. Hench (Irvine, CA, U.S.A.) (Received November 30th, 1990) 277

High-performance liquid chromatographic determination of PEG 600 in human urine
by I. M. Kinahan and M. R. Smyth (Dublin, Ireland) (Received December 3rd, 1990) . . 297

Novel direct high-performance liquid chromatographic method for determination of salicylate glucuronide conjugates in human urine
by J. Shen, S. Wanwimolruk and M. S. Roberts (Dunedin, New Zealand) (Received November 9th, 1990) 309

High-performance liquid chromatographic assay with electrochemical detection for azithromycin in serum and tissues
by R. M. Shepard, G. S. Duthu, R. A. Ferraina and M. A. Mullins (Groton, CT, U.S.A.) (Received November 19th, 1990) 321

High-performance liquid chromatographic determination of the 1,4-diketo and 1,4-diketo-2,3-dihydroxy metabolites of lonapalene in rat urine
by C.-H. Kiang and C. Lee (Palo Alto, CA, U.S.A.) (Received November 23rd, 1990) . . 339

High-performance liquid chromatography method for serum methotrexate levels in children with severe steroid-dependent asthma
by T. P. Assadullahi, E. Dagli and J. O. Warner (London, U.K.) (Received November 4th, 1990) 349

Simple and rapid micro-analytical procedures for the estimation of milacemide and its metabolite glycinamide in rat plasma and cerebrospinal fluid by high-performance liquid chromatography
by J. Semba, N. Ratnaraj and P. N. Patsalos (London, U.K.) (Received October 23rd, 1990) 357

Determination of benperidol and its reduced metabolite in human plasma by high-performance liquid chromatography and electrochemical detection
by S. Süss, W. Seiler and C. Hiemke (Mainz, Germany), G. Schöllnhammer (Köln, Germany) and H. Wetzel and A. Hillert (Mainz, Germany) (Received October 31st, 1991) 363

Determination of the retinoid (*E*)-1,2,3,4-tetrahydro-1,1,4,4-tetramethyl-6-(1-methyl-2-phenylethenyl)naphthalene and its phenolic metabolite in human plasma by reversed-phase high-performance liquid chromatography
by K. Rissler and G. Friedrich (Denzlingen, Germany) and J. Kneer (Basle, Switzerland) (Received November 1st, 1990) 375

(Continued overleaf)

Sensitive microbore high-performance liquid chromatographic assay for labetalol in the biological fluids of pregnant sheep
by K. Yeleswaram, J. E. Axelson and D. W. Rurak (Vancouver, Canada) (Received October 30th, 1990) 383

Determination of [^{3}H]brifentanil, a potent narcotic analgesic, from rat serum by high-performance liquid chromatography with on-line radioactive detection
by L. T. Kvalo, J. A. Wilhelm, M. J. Edfort and V. S. Venturella (Murray Hill, NJ, U.S.A.) (Received November 5th, 1990) 391

Determination of diclofenac in plasma using a fully automated analytical system combining liquid–solid extraction with liquid chromatography
by A. Sioufi, J. Richard, P. Mangoni and J. Godbillon (Rueil-Malmaison, France) (Received November 12th, 1990) 401

Short Communications

Liquid chromatography–mass spectrometry for simultaneous analyses of iminodipeptides containing an N-terminal or a C-terminal proline
by K. Sugahara and H. Kodama (Kochi, Japan) (Received November 19th, 1990) 408

Novel affinity chromatographic system for the single-step purification of glycosaminoglycans from complex systems using volatile buffers
by B. A. Hodson and D. S. Pepper (Edinburgh, U.K.) and J. Dawes (Camperdown, Australia) (Received December 4th, 1990) 416

High-performance liquid chromatographic analysis of free palmitic and stearic acids in cerebrospinal fluid
by I. Zamir, E. Grushka and G. Cividalli (Jerusalem, Israel) (Received November 16th, 1990) 424

Improved method for the determination of serotonin in plasma by high-performance liquid chromatography using on-line sample pre-treatment
by B. Takkenberg, E. Endert, H. E. van Ingen and M. Ackermans (Amsterdam, The Netherlands) (Received November 5th, 1990) 430

Determination of 3-hydroxykynurenine in human brain and plasma by high-performance liquid chromatography with electrochemical detection. Increased concentrations in hepatic encephalopathy
by S. J. Pearson and G. P. Reynolds (Sheffield, U.K.) (Received December 17th, 1990) . . 436

Rapid high-performance liquid chromatographic assay for total homocysteine levels in human serum
by J. B. Ubbink, W. J. Hayward Vermaak and S. Bissbort (Pretoria, South Africa) (Received October 22nd, 1990) 441

Simple method for the determination of inorganic sulfate in human serum and urine using single-column ion chromatography
by D. A. Hoffman and S. M. Wallace (Saskatoon, Canada) and R. K. Verbeeck (Brussels, Belgium) (Received November 15th, 1990) 447

Determination of dimethyl sulphide in blood and adipose tissue by headspace gas analysis
by K. Terazawa (Sapporo, Japan), H. Kaji (Iwamizawa, Japan) and H. Akabane and T. Takatori (Sapporo, Japan) (Received October 29th, 1990) 453

(Continued overleaf)

High-performance liquid chromatographic determination of morphine and its 3- and 6-glucuronide metabolites: improvements to the method and application to stability studies
by R. W. Milne, R. L. Nation, G. D. Reynolds, A. A. Somogyi and J. T. Van Crugten (Adelaide, Australia) (Received November 6th, 1990) 457

High-performance liquid chromatographic assay for laudanosine in biological fluids and tissue for neurotoxic studies in rats
by I. Ramzan (Sydney, Australia) (Received December 7th, 1990) 465

Determination of thiamphenicol residues in chicken muscles by column liquid chromatography
by T. Nagata and M. Saeki (Chiba City, Japan) (Received November 20th, 1990) 471

Determination of amidepin in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection
by P. Stehlík and H. Houbová (Prague, Czechoslovakia) (Received November 1st, 1990) . 477

High-performance liquid chromatographic method for the determination of toremifene and its major human metabolites
by L. K. Webster, N. A. Crinis, K. H. Stokes and J. F. Bishop (Melbourne, Australia) (Received December 4th, 1990) 482

Determination of alentamol hydrobromide, a novel antipsychotic agent, in human blood plasma and urine by high-performance liquid chromatography with fluorescence detection and solid-phase extraction
by F. J. Schwende and U. M. Rykert (Kalamazoo, MI, U.S.A.) (Received November 8th, 1990) 488

Pirmenol determination by high-performance liquid chromatography
by G. L. Hoyer (Tucson, AZ, U.S.A.) (Received November 15th, 1990) 497

Determination of cetirizine in human urine by high-performance liquid chromatography
by M. T. Rosseel and R. A. Lefebvre (Ghent, Belgium) (Received November 14th, 1990) . 504

Sensitive determination of free and plasma protein-bound dipyridamole by high-performance liquid chromatography
by M. Barberi, J. L. Merlin and B. Weber (Vandoeuvre-les-Nancy, France) (Received November 30th, 1990) 511

High-performance liquid chromatographic determination of the polar metabolites of nifedipine in plasma, blood and urine
by M. C. M. Roosemalen, P. A. Soons, T. Funaki and D. D. Breimer (Leiden, The Netherlands) (Received December 3rd, 1990) 516

Simplified procedure for the determination of sotalol in plasma by high-performance liquid chromatography
by J. Boutagy and G. M. Shenfield (St. Leonards, Australia) (Received December 14th, 1990) 523

Simultaneous high-performance liquid chromatographic determination of ascorbic acid and dehydroascorbic acid in biological samples
by J. Cammack, A. Oke and R. N. Adams (Lawrence, KS, U.S.A.) (Received October 22nd, 1990) 529

Book Reviews

Advances in electrophoresis, Vol. 3 (edited by A. Chrambach, M. J. Dunn and B. J. Radola), reviewed by Z. Deyl (Prague, Czechoslovakia) 533

(Continued overleaf)

Analysis for drugs and metabolites including anti-infective agents (*Methodological Surveys in Biochemistry and Analysis*, Vol. 20) (edited by E. Reid and I. D. Wilson), reviewed by R. N. Gupta (Hamilton, Canada) 534

Related articles published in Journal of Chromatography, Vols. 539–542 536

Author Index 542

Compound Index 547

Erratum 552

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)